

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6489287	@ad< "20030618"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:15
L2	83	L1 and (device) with certificate and verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:15
L3	6489287	@ad< "20030618"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:15
L4	4	L3 and certificate with (driver boot) with (describ \$5 operation characteristic) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:15
L5	3	L3 and certificate with (driver boot) with (describ \$5 operation) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:15
L6	294	1 and 713/187.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:15
L7	290	1 and 726/21.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:15
L8	327	1 and 726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:15
L9	190	L3 and certificate with (driver boot) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:16
L10	18	L9 and programming adj language	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:16
L11	155	L3 and certificate with (driver) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:16

L12	16	L11 and programming adj language	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:16
L13	254	L1 and (peripheral device) with certificate with (firmware code)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:17
L14	29	L13 and programming adj language	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:17
L15	18	L13 and programming adj language and translat\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:17
L16	7	L9 and programming adj language and translat\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/07/14 09:17
S1	6422386	@ad< "20030618"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:27
S2	289290	S1 and certificate with (driver boot) and certificate (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:34
S3	176	S1 and certificate with (driver boot) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:32
S4	0	S1 and certificate with (driver boot) with (describ \$5) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:32
S5	3	S1 and certificate with (driver boot) with (describ \$5 operation) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:32
S6	4	S1 and certificate with (driver boot) with (describ \$5 operation characteristic) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:34
S7	0	S1 and efficient adj code adj certification	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:34

S8	289281	S1 and certificate with (driver) and certificate (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/31 13:37
S9	143	S1 and certificate with (driver) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:36
S10	3	S1 and certificate with (device with driver) and certificate with (verif\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 13:40
S11	13	S1 and (device with driver) same verif\$5 same (flow memory stack) with secur\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 16:09
S12	6422386	@ad< "20030618"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/06 16:10
S13	1	S12 and (device with driver) with (feature characteristic list configuration) same (certificate)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 07:50
S14	6423364	@ad< "20030618"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 07:50
S15	3	S14 and (device with driver) with boot with verif \$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 11:42
S16	244	S14 and (device with driver) with verif\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 07:57
S17	5	S14 and (device with driver) with verif\$5 same boot	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 07:58
S18	170	S14 and (device with driver) and verif\$5 with (boot start adj up)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 07:58
S19	13	S14 and (device with driver) same verif\$5 with (boot start adj up)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 07:59

S20	11	S14 and (device with driver) same boot with verif\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 07:58
S21	5	S14 and open adj firmware adj standard	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:19
S22	216	S14 and (peripheral device) with certificate with code	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:20
S23	228	S14 and (peripheral device) with certificate with (firmware code)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:20
S24	47	S14 and (peripheral device) with certificate with code same verif\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:21
S25	0	S14 and (peripheral device) with certificate with code same verif\$5 same boot	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:22
S26	0	S14 and (peripheral device) with certificate with code same verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:24
S27	4	S14 and (peripheral device) with certificate with code and verif\$5 same boot	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:22
S28	4	S14 and (peripheral device) with certificate with code and verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:24
S29	74	S14 and (peripheral device) with certificate and verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:25
S30	0	S14 and (peripheral) with certificate and verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:28
S31	6	S14 and (peripheral device) with certificate same verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:25
S32	9	S14 and (peripheral) same certificate and verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:37

S33	91	S14 and (device) same certificate and verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:37
S34	74	S14 and (device) with certificate and verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 09:37
S35	60	S14 and (device) same (stor\$5 memory) with certificate and verif\$5 same boot\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 11:42
S36	1022	713/156,175,190.ccls. and S14	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 11:42
S37	62	S36 and (device with driver)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/10 11:42
S38	6445713	@ad< "20030618"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/31 13:38
S39	5	S38 and certificate with (boot\$2 bios) and certificate with (verif\$5) and network near4 boot\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/31 13:38
S40	1	"6463535".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 15:52
S41	6474522	@ad< "20030618"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 15:52
S42	316	S41 and verif\$5 same device adj driver	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 15:52
S43	121	S41 and verif\$5 with device adj driver	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 15:58
S44	0	S41 and verif\$5 with device adj driver same certificate	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 15:53
S45	99521	S41 and verif\$5 with device adj driver same2 certificate	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 15:54

S46	7	S41 and verif\$5 with device adj driver and certificate	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 15:56
S47	16	S41 and verif\$5 with driver and device adj driver and certificate	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 15:58
S48	17	S41 and verif\$5 with device adj driver same (boot\$3 start\$3 power\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 16:05
S49	29	S41 and (check\$3 verif\$5 authenticat\$5) near4 device adj driver same (boot\$3 start\$3 power\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 16:06
S50	3	S41 and (check\$3 verif\$5 authenticat\$5) near4 device adj driver same (boot\$3 start\$3 power\$3) same (integrity)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 16:19
S51	38	S41 and peripheral adj device same verif\$5 with code	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 16:19
S52	7	S41 and peripheral adj device same verif\$5 with code same (boot\$3 start \$3 power\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 16:23
S53	2	S41 and peripheral adj device same integrity with code same (boot\$3 start \$3 power\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 16:27
S54	5	S41 and peripheral adj device same signature with code same (boot\$3 start\$3 power\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/29 16:27
S55	6474522	@ad<"20030618"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:02
S56	660	S55 and (receiv\$5 send sent transmit\$3) near2 (driver code) with (device peripheral) and verif\$5 near3 (driver code)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:05
S57	75	S55 and (receiv\$5 send sent transmit\$3) near2 (driver code) with (device peripheral) and verif\$5 near3 (driver code) and device adj driver	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:05

S58	96	S55 and (receiv\$5 send sent transmit\$3) near2 (driver) with (device peripheral) and verif\$5 near3 (driver code)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:09
S59	62	S55 and (receiv\$5 send sent transmit\$3) near2 (driver boot adj code) with (device peripheral) and verif\$5 near3 (driver boot adj code)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:23
S60	17	S55 and (plug near2 play) near2 device and verif\$5 with driver	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:24
S61	24	S55 and (plug near2 play) near2 device and (verif\$5 authoriz\$5) with driver	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:56
S62	25	S55 and (plug near2 play) near2 device and (verif\$5 authoriz\$5 integrity) with driver	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:23
S63	1	S55 and alexander and frank and verif\$5 same driver	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 10:57
S64	27	S55 and alexander and frank and device adj driver	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/01/30 11:03

7/14/08 9:17:58 AM

C:\Documents and Settings\analven\My Documents\EAST\Workspaces\10-656751.wsp